






KONNEKT ^ INOX

Cerea  **tech**



Stainless steel, mild steel and galvanized
Spouting & Accessories for mills
Granulated food industry & plants



GRAVITY SPOUTING DETAILED PRODUCT CATALOGUE

Cerea  **tech**





		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	
		STAINLESS STEEL FLOW PIPE	SSP-100-08	100	2000	0,8	
			SSP-100-1			1	
			SSP-100-1,5			1,5	
			SSP-120-0,8	120	2000	0,8	
			SSP-120-1			1	
			SSP-120-1,5			1,5	
			SSP-120-2			2	
			SSP-150-0,8	150	2000	0,8	
			SSP-150-1			1	
			SSP-150-1,5			1,5	
			SSP-150-2			2	
			SSP-200-0,8	200	1200	0,8	
			SSP 200-1			1	
			SSP 200-1,5			1,5	
			SSP 200-2			2	
			SSP 250-0,8	250	1200	0,8	
			SSP 250-1			1	
			SSP 250-1,5			1,5	
			SSP 250-2			2	
			SSP 250-3			3	
			SSP 300-0,8	300	1200	0,8	
			SSP 300-1			1	
			SSP 300-1,5			1,5	
			SSP 300-2			2	
			SSP 300-3			3	
			SSP 350-0,8	350	1200	0,8	
			SSP 350-1			1	
			SSP 350-1,5			1,5	
			SSP 350-2			2	
			SSP 350-3			3	
			SSP 400-0,8	400	1200	0,8	
			SSP 400-1			1	



KONNEKT ^ INOX



		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	
		STAINLESS STEEL FLOW PIPE	SSP 400-1,5	400	1200	1,5	
			SSP 400-2			2	
			SSP 400-3			3	
			SSP 450-0,8	450		0,8	
			SSP 450-1			1	
			SSP 450-1,5			1,5	
			SSP 450-2			2	
			SSP 450-3	3			
			SSP 500-0,8	500		0,8	
			SSP 500-1			1	
			SSP 500-1,5			1,5	
			SSP 500-2			2	
			SSP 500-3	3			
			SSP 550-0,8	550		0,8	
			SSP 550-1			1	
			SSP 550-1,5			1,5	
			SSP 550-2			2	
			SSP 550-3	3			
			SSP 600-0,8	600		0,8	
			SSP 600-1			1	
			SSP 600-1,5			1,5	
			SSP 600-2			2	
			SSP 600-3	3			
			SSP 650-0,8	650		0,8	
			SSP 650-1			1	
			SSP 650-1,5			1,5	
			SSP 650-2			2	
			SSP 650-3	3			
			SSP 700-0,8	700		0,8	
			SSP 700-1			1	
			SSP 700-1,5			1,5	
			SSP 7500-2			2	
			SSP 700-3	3			
KONNEKT ^ INOX							



		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	
		STAINLESS STEEL FLOW PIPE	SSP 750-0,8	750	1200	0,8	
			SSP 750-1			1	
			SSP 750-1,5			1,5	
			SSP 750-2			2	
			SSP 750-3			3	
			SSP 800-0,8	800		0,8	
			SSP 800-1			1	
			SSP 800-1,5			1,5	
			SSP 800-2			2	
			SSP 800-3			3	
			SSP 850-0,8	850		0,8	
			SSP 850-1			1	
			SSP 850-1,5			1,5	
			SSP 850-2			2	
			SSP 850-3			3	
			SSP 900-0,8	900		0,8	
			SSP 900-1			1	
			SSP 900-1,5			1,5	
			SSP 900-2			2	
			SSP 900-3			3	
			SSP 950-0,8	950		0,8	
			SSP 950-1			1	
			SSP 950-1,5			1,5	
			SSP 950-2			2	
			SSP 950-3			3	
			SSP 1000-0,8	1000		0,8	
			SSP 1000-1			1	
			SSP 1000-1,5			1,5	
SSP 1000-2	2						
SSP 1000-3	3						
						KONNEKT ^ INOX	







* All the dimensions indicated in the catalogue are in Metric System





		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
 KONNEKT ^ INOX		STAINLESS STEEL CLAMP	SSK 100	100		0,8-1-1,5				
			SSK 120	120		0,8-1-1,5-2				
			SSK 150	150		0,8-1-1,5-2				
			SSK 200	200		0,8-1-1,5-2				
			SSK 250	250		0,8-1-1,5-2-3				
			SSK 300	300						
			SSK 350	350						
			SSK 400	400						
			SSK 450	450						
			SSK 500	500						
			SSK 550	550						
			SSK 600	600						
			SSK 650	650						
			SSK 700	700						
			SSK 750	750						
			SSK 800	800						
			SSK 850	850						
			SSK 900	900						
			SSK 950	950						
SSK 1000	1000									
		STAINLESS STEEL SEGMENT - 5°	SSE 5-100	100		0,8-1-1,5			5°	
			SSE 5-120	120		0,8-1-1,5-2			5°	
			SSE 5-150	150		0,8-1-1,5-2			5°	
			SSE 5-200	200		0,8-1-1,5-2-3			5°	
			SSE 5-250/300	250/300		0,8-1-1,5-2-3				
			SSE 5-350-400	350/400						
			SSE 5-450-500	450/500						
			SSE 5-550	550						
			SSE 5-600	600						
			SSE 5-650	650						
			SSE 5-700	700						
			SSE 5-750	750						
			SSE 5-800	800						






		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
 KONNEKT ^ INOX		STAINLESS STEEL SEGMENT - 5°	SSE 5-850	850		0,8-1-1,5-2-3			5°	
			SSE 5-900	900						
			SSE 5-950	950						
			SSE 5-1000	1000						
		STAINLESS STEEL SEGMENT - 10°	SSE 10-100	100		0,8-1-1,5-2-3				10°
			SSE 10-120	120						
			SSE 10-150	150						
			SSE 10-200	200						
			SSE 10-250	250						
			SSE 10-300	300						
			SSE 10-350	350						
			SSE 10-400	400						
			SSE 10-450	450						
			SSE 10-500	500						
			SSE 10-550	550						
			SSE 10-600	600						
			SSE 10-650	650						
			SSE 10-700	700						
			SSE 10-750	750						
			SSE 10-800	800						
			SSE 10-850	850						
			SSE 10-900	900						
		SSE 10-950	950							
		SSE 10-1000	1000							
		STAINLESS STEEL SEGMENT - 12°	SSE 12-100	100		0,8-1-1,5-2-3				12°
			SSE 12-120	120						
			SSE 12-150	150						
			SSE 12-200	200						
			SSE 12-250	250						
			SSE 12-300	300						
			SSE 12-350	350						
			SSE 12-400	400						
		SSE 12-450	450							



		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
 KONNEKT ^ INOX		STAINLESS STEEL SEGMENT - 12°	SSE 12-500	500		0,8-1-1,5-2-3			12°	
			SSE 12-550	550						
			SSE 12-600	600						
			SSE 12-650	650						
			SSE 12-700	700						
			SSE 12-750	750						
			SSE 12-800	800						
			SSE 12-850	850						
			SSE 12-900	900						
			SSE 12-950	950						
			SSE 12-1000	1000						
		STAINLESS STEEL SEGMENT - 15°	SSE 15-100	100		0,8-1-1,5				15°
			SSE 15-120	120		0,8-1-1,5-2				
			SSE 15-150	150		0,8-1-1,5-2				
			SSE 15-200	200		0,8-1-1,5-2-3				
			SSE 15-250	250		0,8-1-1,5-2-3				
			SSE 15-300	300						
			SSE 15-350	350						
			SSE 15-400	400						
			SSE 15-450	450						
			SSE 15-500	500						
			SSE 15-550	550						
			SSE 15-600	600						
			SSE 15-650	650						
			SSE 15-700	700						
			SSE 15-750	750						
			SSE 15-800	800						
			SSE 15-850	850						
			SSE 15-900	900						
		SSE 15-950	950							
		SSE 15-1000	1000							
		STAINLESS STEEL SEGMENT-18°	SSE 18-100	100		0,8-1-1,5				18°
			SSE 18-120	120		0,8-1-1,5-2				

		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
 KONNEKT ^ INOX		STAINLESS STEEL SEGMENT-18°	SSE 18-150	150		0,8-1-1,5-2			18°	
			SSE 18-200	200		0,8-1-1,5-2-3				
			SSE 18-250	250						
			SSE 18-300	300						
			SSE 18-350	350						
			SSE 18-400	400						
			SSE 18-450	450						
			SSE 18-500	500						
			SSE 18-550	550						
			SSE 18-600	600						
			SSE 18-650	650						
			SSE 18-700	700						
			SSE 18-750	750						
			SSE 18-800	800						
			SSE 18-850	850						
			SSE 18-900	900						
			SSE 18-950	950						
			SSE 18-1000	1000						
		STAINLESS STEEL SEGMENT-22,5°	SSE 22,5-100	100		0,8-1-1,5	0,8-1-1,5-2-3			22,5°
			SSE 22,5-120	120						
			SSE 22,5-150	150						
			SSE 22,5-200	200						
			SSE 22,5-200	200						
			SSE 22,5-250	250						
			SSE 22,5-300	300						
			SSE 22,5-350	350						
SSE 22,5-400	400									
SSE 22,5-450	450									
SSE 22,5-500	500									
SSE 22,5-550	550									
SSE 22,5-600	600									
SSE 22,5-650	650									
SSE 22,5-700	700									





		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		STAINLESS STEEL SEGMENT-22,5°	SSE 22,5-800	800		0,8-1-1,5-2-3			22,5°
			SSE 22,5-850	850					
			SSE 22,5-900	900					
			SSE 22,5-950	950					
			SSE 22,5-1000	1000					
 KONNEKT ^ INOX		STAINLESS STEEL REVOLVING SEGMENT	SSE 45-100	100		0,8-1-1,5			45°
			SSE 45-120	120		0,8-1-1,5-2			
			SSE 45-150	150		0,8-1-1,5-2			
			SSE 45-200	200		0,8-1-1,5-2-3			
			SSE 45-250	250					
			SSE 45-300	300					
			SSE 45-350	350					
			SSE 45-400	400					
			SSE 45-450	450					
			SSE 45-500	500					
			SSE 45-550	550					
			SSE 45-600	600					
			SSE 45-650	650					
			SSE 45-700	700					
			SSE 45-750	750					
			SSE 45-800	800					
			SSE 45-850	850					
			SSE 45-900	900					
			SSE 45-950	950					
SSE 45-1000	1000								
		STAINLESS STEEL FALSE AIR INLET	SSB-100	100		0,8-1-1,5	39		
			SSB-120	120		0,8-1-1,5-2			
			SSB-150	150		0,8-1-1,5-2			
			SSB-200	200		0,8-1-1,5-2-3			
			SSB-250	250					
			SSB-300	300					
			SSB-350	350					
			SSB-400	400					





		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		STAINLESS STEEL FALSE AIR INLET	SSB-450	450		0,8-1-1,5-2-3	-		
			SSB-500	500					
			SSB-550	550					
			SSB-600	600					
			SSB-650	650					
			SSB-700	700					
			SSB-750	750					
			SSB-800	800					
			SSB-850	850					
			SSB-900	900					
			SSB-950	950					
			SSB-1000	1000					
		STAINLESS STEEL AIR OUTLET	SSA-120	120		0,8-1-1,5-2	101,5		
			SSA-150	150		0,8-1-1,5-2			
			SSA-200	200		0,8-1-1,5-2-3			
			SSA-250	250					
			SSA-300	300					
			SSA-350	350					
			SSA-400	400					
			SSA-450	450					
			SSA-500	500					
			SSA-550	550					
			SSA-600	600					
			SSA-650	650					
			SSA-700	700					
			SSA-750	750					
			SSA-800	800					
			SSA-850	850					
SSA-900	900								
SSA-950	950								
SSA-1000	1000								
KONNEKT ^ INOX		* All the dimensions indicated in the catalogue are in Metric System							

		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
 <p>With or without sensor holes</p> 		STAINLESS STEEL INSPECTION GLASS CAGE	SSSG-100	100		0,8-1-1,5	103		
			SSSG-120	120		0,8-1-1,5-2			
			SSSG-150	150		0,8-1-1,5-2			
			SSSG-200	200		0,8-1-1,5-2-3	-		
			SSSG-250	250					
			SSSG-300	300					
			SSSG-350	350					
			SSSG-400	400					
			SSSG-450	450					
			SSSG-500	500					
			SSSG-550	550					
			SSSG-600	600					
			SSSG-650	650					
			SSSG-700	700					
			SSSG-750	750					
			SSSG-800	800					
			SSSG-850	850					
			SSSG-900	900					
			SSSG-950	950					
SSSG-1000	1000								
 <p>KONNEKT ^ INOX</p>		STAINLESS STEEL ASYMMETRIC BRANCH	SSAB 35x100	100		0,8-1-1,5	300	230	35°
			SSAB 35x120	120		0,8-1-1,5-2	300	230	
			SSAB 35x150	150		0,8-1-1,5-2	350	300	
			SSAB 35x200	200		0,8-1-1,5-2-3	460	380	
			SSAB 35x250	250			550	460	
			SSAB 35x300	300			650	550	
			SSAB 35x350	350			-	-	
			SSAB 35x400	400			-	-	
			SSAB 35x450	450			-	-	
			SSAB 35x500	500		-	-		
			SSAB 35x550	550		-	-		
			SSAB 35x600	600		-	-		
			SSAB 35x650	650		-	-		





		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		<p align="center">STAINLESS STEEL ASYMMETRIC BRANCH</p>	SSAB 35x700	700		0,8-1-1,5-2	-		35°
			SSAB 35x750	750		0,8-1-1,5-2-3			
			SSAB 35x800	800					
			SSAB 35x850	850					
			SSAB 35x900	900					
			SSAB 35x950	950					
			SSAB 35x1000	1000					
			SSAB 45x100	100		0,8-1-1,5	300	230	45°
			SSAB 45x120	120		0,8-1-1,5-2	300	230	
			SSAB 45x150	150		0,8-1-1,5-2	350	300	
			SSAB 45x200	200		0,8-1-1,5-2-3	460	380	
			SSAB 45x250	250			550	460	
			SSAB 45x300	300			650	550	
			SSAB 45x350	350			-	-	
			SSAB 35x400	400					
			SSAB 45x450	450					
			SSAB 45x500	500					
			SSAB 45x550	550					
			SSAB 45x600	600					
			SSAB 45x650	650					
			SSAB 45x700	700					
			SSAB 45x750	750					
			SSAB 45x800	800					
			SSAB 45x850	850					
			SSAB 45x900	900					
			SSAB 45x950	950					
			SSAB 45x1000	1000					
			SSAB 55x100	100		0,8-1-1,5	300	230	55°
			SSAB 55x120	120		0,8-1-1,5-2	300	230	
			SSAB 55x150	150		0,8-1-1,5-2-3	350	300	
			SSAB 55x200	200			460	380	
			SSAB 55x250	250			550	460	
			SSAB 55x300	300			650	550	



KONNEKT ^ INOX

		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
		STAINLESS STEEL ASYMMETRIC BRANCH	SSAB 55x350	350		0,8-1-1,5-2-3	-	-	55°	
			SSAB 55x400	400						
			SSAB 55x450	450						
			SSAB 55x500	500						
			SSAB 55x550	550						
			SSAB 55x600	600						
			SSAB 55x650	650						
			SSAB 55x700	700						
			SSAB 55x750	750						
			SSAB 55x800	800						
			SSAB 55x850	850						
			SSAB 55x900	900						
			SSAB 55x950	950						
			SSAB 55x1000	1000						
		STAINLESS STEEL SYMMETRIC BRANCH	SSSB 100	100		0,8-1-1,5	14	111	55°	
			SSSB 120	120		0,8-1-1,5-2	14	111		
			SSSB 150	150		0,8-1-1,5-2	20	135		
			SSSB 200	200		0,8-1-1,5-2-3	28	180		
			SSSB 250	250			90	230		
			SSSB 300	300			100	270		
			SSSB 350	350			-	-		
			SSSB 400	400						
			SSSB 450	450						
			SSSB 500	500						
			SSSB 550	550						
			SSSB 600	600						
			SSSB 650	650						
			SSSB 700	700						
			SSSB 750	750						
			SSSB 800	800						
			SSSB 850	850						
			SSSB 900	900						
			SSSB 950	950						
KONNEKT ^ INOX										





		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
		STAINLESS STEEL INSECTION PIPE - C	SSIP 100	100		0,8-1-1,5	150			
			SSIP 120	120		0,8-1-1,5-2				
			SSIP 150	150		0,8-1-1,5-2				
			SSIP 200	200		0,8-1-1,5-2-3	-			
			SSIP 250	250						
			SSIP 300	300						
			SSIP 350	350						
			SSIP 400	400						
			SSIP 450	450						
			SSIP 500	500						
			SSIP 550	550						
			SSIP 600	600						
			SSIP 650	650						
			SSIP 700	700						
			SSIP 750	750						
			SSIP 800	800						
			SSIP 850	850						
			SSIP 900	900						
			SSIP 950	950						
SSIP 1000	1000									
		STAINLESS STEEL MANUAL SYMMETRIC FLAP	SSMF-S - 100	100		0,8-1-1,5			45°	
			SSMF-S - 120	120		182				0,8-1-1,5-2
			SSMF-S - 150	150		221				0,8-1-1,5-2
			SSMF-S - 200	200		282				0,8-1-1,5-2-3
			SSMF-S - 250	250		350				
			SSMF-S - 300	300		415				
			SSMF-S - 350	350		-				
			SSMF-S - 400	400		-				
			SSMF-S - 450	450		-				
			SSMF-S - 500	500		-				
			SSMF-S - 550	550		-				
			SSMF-S - 600	600		-				
			SSMF-S - 650	650		-				

KONNEKT ^ INOX







		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°				
		STAINLESS STEEL MANUAL SYMMETRIC FLAP	SSMF-S - 700	700	-	0,8-1-1,5-2-3			45°				
			SSMF-S - 750	750									
			SSMF-S - 800	800									
			SSMF-S - 850	850									
			SSMF-S - 900	900									
			SSMF-S - 950	950									
			SSMF-S - 1000	1000									
			SSMF-S - 100	100		0,8-1-1,5	0,8-1-1,5-2-3			90°			
			SSMF-S - 120	120	182	0,8-1-1,5-2							
			SSMF-S - 150	150	221	0,8-1-1,5-2							
			SSMF-S - 200	200	282	0,8-1-1,5-2-3							
			SSMF-S - 250	250	350	0,8-1-1,5-2-3							
			SSMF-S - 300	300	415								
			SSMF-S - 350	350									
			SSMF-S - 400	400									
			SSMF-S - 450	450									
			SSMF-S - 500	500									
			SSMF-S - 550	550									
			SSMF-S - 600	600									
			SSMF-S - 650	650									
			SSMF-S - 700	700									
			SSMF-S - 750	750									
			SSMF-S - 800	800									
			SSMF-S - 850	850									
SSMF-S - 900	900												
SSMF-S - 950	950												
SSMF-S - 1000	1000												
		STAINLESS STEEL MANUAL ASYMMETRIC FLAP	SSMF-S - 100	100	300	0,8-1-1,5					340		30°
			SSMF-S - 120	120	300	0,8-1-1,5-2					340		
			SSMF-S - 150	150	370	0,8-1-1,5-2					425		
			SSMF-S - 200	200	475	0,8-1-1,5-2-3					540		
			SSMF-S - 250	250	590		670						
			SSMF-S - 300	300	700		800						







		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°	
 		STAINLESS STEEL MANUAL ASYMMETRIC FLAP	SSMF-S - 350	350	-	0,8-1-1,5-2-3	-		30°	
			SSMF-S - 400	400						
			SSMF-S - 450	450						
			SSMF-S - 500	500						
			SSMF-S - 550	550						
			SSMF-S - 600	600						
			SSMF-S - 650	650						
			SSMF-S - 700	700						
			SSMF-S - 750	750						
			SSMF-S - 800	800						
			SSMF-S - 850	850						
			SSMF-S - 900	900						
			SSMF-S - 950	950						
			SSMF-S - 1000	1000						
			SSMF-S - 100	100	300	0,8-1-1,5	340			
			SSMF-S - 120	120	300	0,8-1-1,5-2	340			
			SSMF-S - 150	150	370	0,8-1-1,5-2	425			
			SSMF-S - 200	200	475	-	540			
			SSMF-S - 250	250	590		670			
			SSMF-S - 300	300	700		800			
			SSMF-S - 350	350	-	0,8-1-1,5-2-3				35°
			SSMF-S - 400	400						
			SSMF-S - 450	450						
			SSMF-S - 500	500						
			SSMF-S - 550	550						
			SSMF-S - 600	600						
SSMF-S - 700	700									
SSMF-S - 750	750									
SSMF-S - 800	800									
SSMF-S - 850	850									
SSMF-S - 900	900									
SSMF-S - 950	950									
SSMF-S - 1000	1000									

KONNEKT ^ INOX





		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		STAINLESS STEEL MANUAL ASYMMETRIC FLAP	SSMF-S - 100	100	300	0,8-1-1,5	340		45°
			SSMF-S - 120	120	300	0,8-1-1,5-2	340		
			SSMF-S - 150	150	370	0,8-1-1,5-2	425		
			SSMF-S - 200	200	475	0,8-1-1,5-2-3	540		
			SSMF-S - 250	250	590		670		
			SSMF-S - 300	300	700		800		
			SSMF-S - 400	400	-		-		
			SSMF-S - 450	450					
			SSMF-S - 500	500					
			SSMF-S - 550	550					
			SSMF-S - 600	600					
			SSMF-S - 700	700					
			SSMF-S - 750	750					
			SSMF-S - 800	800					
			SSMF-S - 850	850					
			SSMF-S - 900	900					
			SSMF-S - 950	950					
			SSMF-S - 1000	1000					
						STAINLESS STEEL AUTOMATIC ASYMMETRIC FLAP*			
SSAF-A - 120									
SSAF-A - 150									
SSAF-A - 200									
SSAF-A - 250									
SSAF-A - 300									
SSAF-A - 350									
SSAF-A - 100	45°								
SSAF-A - 120									
SSAF-A - 150									
SSAF-A - 200									
SSAF-A - 250									
SSAF-A - 350									
SSAF-A - 350									
* The material is AISI 316 quality									







KONNEKT ^ INOX






		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		STAINLESS STEEL INSPECTION PIPE - H	SSKB - 100	100		0,8-1-1,5	193		
			SSKB - 120	120		0,8-1-1,5-2			
			SSKB - 150	150		0,8-1-1,5-2			
			SSKB - 200	200		0,8-1-1,5-2-3			
			SSKB - 250	250					
			SSKB - 300	300					
		STAINLESS STEEL PNEUMATIC RECEIVER CYCLONE	PC-SS-200	46	1061	0,8-1-1,5	200	85-100	
			PC-SS-200	51					
			PC-SS-200	57					
			PC-SS-240	64					
			PC-SS-240	70					
			PC-SS-240	76					
			PC-SS-280	83				120	
			PC-SS-280	95					
			PC-SS-340	102					
			PC-SS-410	108				140	
			PC-SS-410	119					
			PC-SS-410	125					
			PC-SS-500	133				180	
		STAINLESS STEEL SIFTER OUTLET PIPE	SSSO 120	120		0,8-1-1,5-2			
			SSSO 140	140					
* All the dimensions indicated in the catalogue are in Metric System									









		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		STAINLESS STEEL FLOUR COLLECTING HOPPER	SSDF - F			0,8-1-1,5-2			
		STAINLESS STEEL VERTICAL INJECTOR	SSVI 150	46-51-57-64-70-76-83	750	0,8-1-1,5-2			
			SSVI 180		750				
		STAINLESS STEEL FLOUR COLLECTING PIPE	SSFC-100	100	1000-1200	0,8-1-1,5			
			SSFC-120	120		0,8-1-1,5-2			
			SSFC-150	150		0,8-1-1,5-2-3			
			SSFC-200	200					
			SSFC-250	250					
			SSFC-300	300					
			SSFC-350	350					
	KONNEKT ^ INOX	STAINLESS STEEL MANUAL SHUTTER	SSMS-100	100		0,8-1-1,5			
			SSMS-120	120		0,8-1-1,5-2			
			SSMS-150	150		0,8-1-1,5-2			
			SSMS-200	200	0,8-1-1,5-2-3				
			SSMS-250	250					
			SSMS-300	300					
			SSMS-350	350					
			SSMS-400	400					

MILD STEEL GRAVITY SPOUTING









		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		MILD STEEL FLOW PIPE	MSP-100 MSP-120 MSP-150 MSP-200 MSP-250 MSP-300 MSP-350 MSP-400 MSP-450 MSP-500 MSP-550 MSP-600 MSP-650 MSP-700 MSP-750 MSP-800 MSP-850 MSP-900 MSP-950 MSP-1000	100 120 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	2000	0,8-1-1,5 0,8-1-1,5-2 0,8-1-1,5-2 0,8-1-1,5-2-3			
		MILD STEEL CLAMP	MSK SERIES	100 to 1000					




		Description		ϕD_i (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		MILD STEEL PNEUMATIC CYCLONE	PC-MS-200	46	1061	0,8-1-1,5	200	85-100	
			PC-MS-200	51				85-100	
			PC-MS-200	57				85-100	
			PC-MS-240	64				85-100	
			PC-MS-240	70				85-100	
			PC-MS-240	76				85-100	
			PC-MS-280	83				120	
			PC-MS-280	95				120	
			PC-MS-340	102				120	
			PC-MS-410	108				140	
			PC-MS-410	119				140	
			PC-MS-410	125				140	
			PC-MS-500	133				180	
		MILD STEEL SEGMENT	MSS SERIES	100 to 1000					
		MILD STEEL ASYMMETRIC BRANCH	MSAF SERIES	100 to 1000		0,8-1-1,5-2-3	-	-	35°- 45°- 55°

		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)		
		STAINLESS STEEL MILD STEEL MANIFOLD COLLECTOR FOR MILL PNEUMATICS	MPCM / MPCS	180 to 800		1,5-2-3		
		MILD STEEL FLOUR COLLECTING HOPPER	MSDF-F					
			MILD STEEL MANUAL ASYMMETRIC FLAP	MAF SERIES	100 to 1000		0,8-1-1,5-2-3	35°- 45°- 55°

		Description	Code	ØDi (mm)	L (mm)	Thickness (mm)	A (mm)	B (mm)	α°
		MILD STEEL SIFTER OUTLET	MSSO SERIES	100 to 1000		0,8-1-1,5-2-3			
		MILD STEEL CONTROL PIPE	MSKB SERIES	100 to 1000		0,8-1-1,5-2-3	193		
		MILD STEEL SPEED BUMP	MSSB-120	120		0,8-1-1,5			
			MSSB-150	150					
			MSSB-200	200					
			MSSB-220	220					
		MILD STEEL VERTICAL INJECTOR	MSVI - 150	150					
			MSVI - 180	180					
		MILD STEEL HORIZONTAL INJECTOR	MSHI - 150	150					
			MSHI - 180	180					

GALVANISED STEEL GRAVITY SPOUTING

		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)
		GALVANISED FLOW PIPE	GFP SERIES	100 to 1000		1-1,5-2-3
		GALVANIZED ASYMMETRIC BRANCH	GAF SERIES	100 to 1000		1-1,5-2-3
		GALVANIZED ASYMMETRIC BRANCH	GAF SERIES	100 to 1000		1-1,5-2-3
		GALVANISED SIFTER OUTLET	GSO - 120	120		
			GSO - 140	140		

		Description	Code	∅Di (mm)	L (mm)	Thickness (mm)	
		GALVANISED STEEL FALSE AIR INLET	GFI SERIES	100 to 1000		0,8-1-1,5-2-3	
	Aluminium cast body	PNEUMATIC CYCLONE AIR ADJUSTMENT VALVE	AAF 85	85			
			AAF 100	100			
			AAF 120	120			
			AAF 140	140			
			AAF 180	180			

We would be glad to cooperate with you and thank you very much for your business in advance.